



ORNAMENTA®  
100% made in Italy 2.0 ////////////////////////////////// I♥Ceramica

presents:

JOIN ON [f](#) [t](#) [p](#) [i](#) [in](#) [You Tube](#)

# BASICS

Minimalism{o} + Decorativism{o}: 2+2=5

"I due opposti che non si sono mai incontrati".

-----  
"The two opposites that never met before".

////////////////////////////////////  
#startingpoint

I♥Ceramica



# BASICS

60x60cm - 24"x24"

Minimalism{o} + Decorativism{o}: 2+2=5

Programma di sei tonalità neutre in gres porcellanato.  
White, Black, Ivory, Pearl, Taupe e Ashgrey si combinano con le superfici Ornamenta per neutralizzarne la "forza decorativa".

Program of six gres porcelain neutral shades.  
White, Black, Ivory, Pearl, Taupe and Ashgrey match with Ornamenta surfaces to neutralize the "decorative impact".



BA6060WN  
BASIC WHITE 60x60  
3 pcs/box



BA6060BN  
BASIC BLACK 60x60  
3 pcs/box



BA6060IN  
BASIC IVORY 60x60  
3 pcs/box



BA6060PN  
BASIC PEARL 60x60  
3 pcs/box

Basi neutre che si combinano con superfici decorative a diversa tematica e finitura per dare vita a progetti contemporanei in cui decorativismo e minimalismo si fondono a dimostrare che la loro "convivenza" è tutt'altro che impossibile. Punto di partenza del progetto creativo.

Neutral basis combine themselves with different decorative surfaces to create new contemporary projects where decorativism and minimalism show that their joint is far from impossible. Starting point of the creative project.

"La più eccitante attrazione è esercitata da due opposti che non si incontreranno mai".

Andy Warhol

"The most exciting attraction is exercised by two opposites that never meet".

Andy Warhol



BA6060TN  
BASIC TAUPE 60x60  
3 pcs/box



BA6060GN  
BASIC ASHGREY 60x60  
3 pcs/box





BA6060WN



BA6060BN



BA6060WN





BA6060WN, BA6060IN, BA6060PN, BA6060TN, BA6060GN





BA6060WN, BA6060IN, BA6060PN, BA6060TN, BA6060GN



BA6060TN





BA6060PN






BA6060GN



BA6060GN




Schemi di posa/  
Layout scheme




BA6060WN  
BASIC WHITE 60x60

\* valida per tutti i colori del programma basics



BA6060BN  
BASIC BLACK 60x60

\* valida per tutti i colori del programma basics




BA6060WN  
BASIC WHITE 60x60

BA6060TN  
BASIC TAUPE 60x60

suggerimenti di pose a coppie/matching suggestions:  
white + pearl  
white + ashgrey

ivory + taupe  
pearl + ashgrey



BA6060BN  
BASIC BLACK 60x60

BA6060WN  
BASIC WHITE 60x60



BA6060WN  
BASIC WHITE 60x60  
BA6060PN  
BASIC PEARL 60x60  
BA6060TN  
BASIC TAUPE 60x60


BA6060IN  
BASIC IVORY 60x60  
BA6060GN  
BASIC ASHGREY 60x60



BA6060BN  
BASIC BLACK 60x60  
BA6060WN  
BASIC WHITE 60x60  
BA6060PN  
BASIC PEARL 60x60

BA6060TN  
BASIC TAUPE 60x60  
BA6060IN  
BASIC IVORY 60x60  
BA6060GN  
BASIC ASHGREY 60x60

formati / formats



60x60 cm - 24"x24"

pesi e imballi - packaging and weight

descrizione / description		scatole / boxes			palette / pallets		
code	colori / colours	pcs / box	sqm / box	kg / box	box / pal	sqm / pal	kg / pal
BA6060WN	BASIC WHITE 60x60	3	1,08	22,20	32	34,56	731
BA6060BN	BASIC BLACK 60x60	3	1,08	22,20	32	34,56	731
BA6060PN	BASIC PEARL 60x60	3	1,08	22,20	32	34,56	731
BA6060IN	BASIC IVORY 60x60	3	1,08	22,20	32	34,56	731
BA6060TN	BASIC TAUPE 60x60	3	1,08	22,20	32	34,56	731
BA6060GN	BASIC ASHGREY 60x60	3	1,08	22,20	32	34,56	731

dati tecnici / technical features

	assorbimento d'acqua % water absorption %	≤ 0,5 %	ISO 10545.3
	resistenza alla flessione bending strength	45 N/mm2	ISO 10545.4
	resistenza all'abrasione resistance to abrasion	PEI IV	ISO 10545.7
	resistenza agli sbalzi termici thermal shocks resistant	resistente resistant	ISO 10545.9
	resistenza al cavillo crazing resistance	garantita guaranteed	ISO 10545.11
	resistenza agli attacchi chimici resistance to chemicals	conforme conformable	ISO 10545.13
	resistenza al gelo frost resistant	resistente resistant	ISO 10545.12
	resistenza alle macchie resistance to stains	classe V	ISO 10545.14
	coefficiente d'attrito static coefficient of friction	R9 A DRY = 0,55 WET = 0,60	DIN 51130 DIN 51097 ASTM C1028

gres fine porcellanato smaltato e rettificato / fine glazed and rectified porcelain gres

#decorareconlaceramica

Contatti / Contacts

Made in Gamma Due Srl via Mosca 1,  
41049 Sassuolo (MO) Italy P.iva 00831670369



Tel. +39 0536 867411  
Fax +39 0536 803937



info@ornamenta.com



ornamenta.com



ORNAMENTA®  
100% made in Italy 2.0 I♥Ceramica